

# Interne Dialoge



[www.vba-wordwelt.de](http://www.vba-wordwelt.de)

Sortiert nach Dialog-Name (\*) ..... 2

Sortiert nach Bedeutung (\*) ..... 14

## Sortiert nach Dialog-Name (\*)

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogConnect	Verbindung zu Netzlaufwerk	Drive, Path, Password
wdDialogControlRun	Systemsteuerung ausführen	Application
wdDialogConvertObject	Konvertieren	IconNumber, ActivateAs, IconFileName, Caption, Class, DisplayIcon, Floating
wdDialogCopyFile	Kopieren	FileName, Directory
wdDialogCreateAutoText	AutoText erstellen	(keine)
wdDialogDocumentStatistics	Dokumentenstatistik	FileName, Directory, Template, Title, Created, LastSaved, LastSavedBy, Revision, Time, Printed, Pages, Words, Characters, Paragraphs, Lines, FileSize
wdDialogDrawAlign	Ausrichten (Zeichnungen)	Horizontal, Vertical, RelativeTo
wdDialogDrawSnapToGrid	Zeichnungsraster	SnapToGrid, XGrid, YGrid, XOrigin, YOrigin, SnapToShapes, XGridDisplay, YGridDisplay, FollowMargins, ViewGridLines, DefineLineBasedOnGrid
wdDialogEditAutoText	Autokorrektur AutoText	Name, Context, InsertAs, Insert, Add, Define, InsertAsText, Delete, CompleteAT
wdDialogEditFind	Suchen und Ersetzen (Suchen)	Find, Replace, Direction, MatchCase, WholeWord, PatternMatch, SoundsLike, FindNext, ReplaceOne, ReplaceAll, Format, Wrap, FindAllWordForms, MatchByte, FuzzyFind, Destination, CorrectEnd, MatchKashida, MatchDiacritics, MatchAlefHamza, MatchControl
wdDialogEditGoTo	Suchen und Ersetzen (Gehe zu)	Find, Replace, Direction, MatchCase, WholeWord, PatternMatch, SoundsLike, FindNext, ReplaceOne, ReplaceAll, Format, Wrap, FindAllWordForms, MatchByte, FuzzyFind, Destination, CorrectEnd, MatchKashida, MatchDiacritics, MatchAlefHamza, MatchControl
wdDialogEditGoToOld	Erweiterte Formatierung	(keine)
wdDialogEditLinks	Verknüpfungen bearbeiten	UpdateMode, Locked, SavePictureInDoc, UpdateNow, OpenSource, KillLink, Link, Application, Item, FileName
wdDialogEditObject	Objekt bearbeiten (Imaging)	Verb
wdDialogEditPasteSpecial	Inhalte einfügen	IconNumber, Link, DisplayIcon, Class, DataType, IconFileName, Caption, Floating
wdDialogEditReplace	Suchen und Ersetzen (Ersetzen)	Find, Replace, Direction, MatchCase, WholeWord, PatternMatch, SoundsLike, FindNext, ReplaceOne, ReplaceAll, Format, Wrap, FindAllWordForms, MatchByte, FuzzyFind, Destination, CorrectEnd, MatchKashida, MatchDiacritics, MatchAlefHamza, MatchControl
wdDialogEditTOACategory	Kategorie bearbeiten	Category, CategoryName
wdDialogEmailOptions	Email Optionen	(keine)

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogFileDocumentLayout	Seite einrichten	Tab, PaperSize, TopMargin, BottomMargin, LeftMargin, RightMargin, Gutter, PageWidth, PageHeight, Orientation, FirstPage, OtherPages, VertAlign, ApplyPropsTo, Default, FacingPages, HeaderDistance, FooterDistance, SectionStart, OddAndEvenPages, DifferentFirstPage, Endnotes, LineNum, StartingNum, FromText, CountBy, NumMode, TwoOnOne, GutterPosition, LayoutMode, CharsLine, LinesPage, CharPitch, LinePitch, DocFontName, DocFontSize, PageColumns, TextFlow, FirstPageOnLeft, SectionType, RTLAlignment
wdDialogFileFind	Datei einfügen (suchen)	SearchName, SearchPath, Name, SubDir, Title, Author, Keywords, Subject, Options, MatchCase, Text, PatternMatch, DateSavedFrom, DateSavedTo, SavedBy, DateCreatedFrom, DateCreatedTo, View, SortBy, ListBy, SelectedFile, Add, Delete, ShowFolders, MatchByte
wdDialogFileNew	Datei Neu	Template, NewTemplate, DocumentType, Visible
wdDialogFileOpen	Datei öffnen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMru, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible
wdDialogFilePageSetup	Seite einrichten	Tab, PaperSize, TopMargin, BottomMargin, LeftMargin, RightMargin, Gutter, PageWidth, PageHeight, Orientation, FirstPage, OtherPages, VertAlign, ApplyPropsTo, Default, FacingPages, HeaderDistance, FooterDistance, SectionStart, OddAndEvenPages, DifferentFirstPage, Endnotes, LineNum, StartingNum, FromText, CountBy, NumMode, TwoOnOne, GutterPosition, LayoutMode, CharsLine, LinesPage, CharPitch, LinePitch, DocFontName, DocFontSize, PageColumns, TextFlow, FirstPageOnLeft, SectionType, RTLAlignment
wdDialogFilePrint	Drucken	Background, AppendPrFile, Range, PrToFileName, From, To, Type, NumCopies, Pages, Order, PrintToFile, Collate, FileName, Printer, OutputPrinter, DuplexPrint, PrintZoomColumn, PrintZoomRow, PrintZoomPaperWidth, PrintZoomPaperHeight
wdDialogFilePrintSetup	Druckereinrichtung	Printer, Options, Network, DoNotSetAsSysDefault
wdDialogFileRoutingSlip	Verteiler	Subject, Message, AllAtOnce, ReturnWhenDone, TrackStatus, Protect, AddSlip, RouteDocument, AddRecipient, OldRecipient, ResetSlip, ClearSlip, ClearRecipients, Address
wdDialogFileSaveAs	Speichern unter	Name, Format, LockAnnot, Password, AddToMru, WritePassword, RecommendReadOnly, EmbedFonts, NativePictureFormat, FormsData, SaveAsAOCELetter, WriteVersion, VersionDesc
wdDialogFileSaveVersion	Version speichern	(keine)
wdDialogFileSummaryInfo	Eigenschaften	Title, Subject, Author, Keywords, Comments, FileName, Directory, Template, CreateDate, LastSavedDate, LastSavedBy, RevisionNumber, EditTime, LastPrintedDate, NumPages, NumWords, NumChars, NumParas, NumLines, Update, FileSize
wdDialogFileVersions	Versionen	AutoVersion, VersionDesc

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogFormatAddrFonts	Empfängeradresse formatieren	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogFormatBordersAndShading	Rahmen und Schattierung bearbeiten	ApplyTo, Shadow, TopBorder, LeftBorder, BottomBorder, RightBorder, HorizBorder, VertBorder, TopColor, LeftColor, BottomColor, RightColor, HorizColor, VertColor, FromText, Shading, Foreground, Background, Tab, FineShading, TopStyle, LeftStyle, BottomStyle, RightStyle, HorizStyle, VertStyle, TopWeight, LeftWeight, BottomWeight, RightWeight, HorizWeight, VertWeight, BorderObjectType, BorderArtWeight, BorderArt, FromTextTop, FromTextBottom, FromTextLeft, FromTextRight, OffsetFrom, InFront, SurroundHeader, SurroundFooter, JoinBorder, LineColor, WhichPages, TL2BRBorder, TR2BLBorder, TL2BRColor, TR2BLColor, TL2BRStyle, TR2BLStyle, TL2BRWeight, TR2BLWeight, ForegroundRGB, BackgroundRGB, TopColorRGB, LeftColorRGB, BottomColorRGB, RightColorRGB, HorizColorRGB, VertColorRGB, TL2BRColorRGB, TR2BLColorRGB, LineColorRGB
wdDialogFormatBulletsAndNumbering	Nummerierung und Aufzählungszeichen bearbeiten	(keine)
wdDialogFormatChangeCase	Groß- Kleinschreibung	Type
wdDialogFormatColumns	Spalten	Columns, ColumnNo, ColumnWidth, ColumnSpacing, EvenlySpaced, ApplyColsTo, ColLine, StartNewCol, FlowColumnsRtl
wdDialogFormatDefineStyleBorders	Rahmen und Schattierung festlegen	ApplyTo, Shadow, TopBorder, LeftBorder, BottomBorder, RightBorder, HorizBorder, VertBorder, TopColor, LeftColor, BottomColor, RightColor, HorizColor, VertColor, FromText, Shading, Foreground, Background, Tab, FineShading, TopStyle, LeftStyle, BottomStyle, RightStyle, HorizStyle, VertStyle, TopWeight, LeftWeight, BottomWeight, RightWeight, HorizWeight, VertWeight, BorderObjectType, BorderArtWeight, BorderArt, FromTextTop, FromTextBottom, FromTextLeft, FromTextRight, OffsetFrom, InFront, SurroundHeader, SurroundFooter, JoinBorder, LineColor, WhichPages, TL2BRBorder, TR2BLBorder, TL2BRColor, TR2BLColor, TL2BRStyle, TR2BLStyle, TL2BRWeight, TR2BLWeight, ForegroundRGB, BackgroundRGB, TopColorRGB, LeftColorRGB, BottomColorRGB, RightColorRGB, HorizColorRGB, VertColorRGB, TL2BRColorRGB, TR2BLColorRGB, LineColorRGB

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogFormatDefineStyleFont	Zeichen festlegen	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogFormatDefineStyleFrame	Positionsrahmen festlegen	Wrap, WidthRule, FixedWidth, HeightRule, FixedHeight, PositionHorz, PositionHorzRel, DistFromText, PositionVert, PositionVertRel, DistVertFromText, MoveWithText, LockAnchor, RemoveFrame
wdDialogFormatDefineStyleLang	Sprache festlegen	Language, CheckLanguage, Default, NoProof
wdDialogFormatDefineStylePara	Absatz definieren	LeftIndent, RightIndent, Before, After, LineSpacingRule, LineSpacing, Alignment, WidowControl, KeepWithNext, KeepTogether, PageBreak, NoLineNum, DontHyphen, Tab, FirstIndent, OutlineLevel, Kinsoku, WordWrap, OverflowPunct, TopLinePunct, AutoSpaceDE, LineHeightGrid, AutoSpaceDN, CharAlign, CharacterUnitLeftIndent, AdjustRight, CharacterUnitFirstIndent, CharacterUnitRightIndent, LineUnitBefore, LineUnitAfter, OrientationBi
wdDialogFormatDefineStyleTabs	Tabstopps	Position, DefTabs, Align, Leader, Set, Clear, ClearAll
wdDialogFormatDrawingObject	Objekt, AutoForm usw. formatieren	Left, PositionHorzRel, Top, PositionVertRel, LockAnchor, FloatOverText, WrapSide, TopDistanceFromText, BottomDistanceFromText, LeftDistanceFromText, RightDistanceFromText, Wrap, HRWidthType, HRHeight, HRNoshade, HRAAlign, Text, AllowOverlap, HorizRule
wdDialogFormatDropCap	Initial	Position, Font, DropHeight, DistFromText
wdDialogFormatEncloseCharacters	Eingeschlossene Zeichen	Style, Text, Enclosure
wdDialogFormatFont	Zeichen bearbeiten	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogFormatFrame	Positionsrahmen bearbeiten	Wrap, WidthRule, FixedWidth, HeightRule, FixedHeight, PositionHorz, PositionHorzRel, DistFromText, PositionVert, PositionVertRel, DistVertFromText, MoveWithText, LockAnchor, RemoveFrame
wdDialogFormatPageNumber	Seitenzahlenformat	ChapterNumber, NumRestart, NumFormat, StartingNum, Level, Separator, DoubleQuote, PgNumberingStyle

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogFormatParagraph	Absatz bearbeiten	LeftIndent, RightIndent, Before, After, LineSpacingRule, LineSpacing, Alignment, WidowControl, KeepWithNext, KeepTogether, PageBreak, NoLineNum, DontHyphen, Tab, FirstIndent, OutlineLevel, Kinsoku, WordWrap, OverflowPunct, TopLinePunct, AutoSpaceDE, LineHeightGrid, AutoSpaceDN, CharAlign, CharacterUnitLeftIndent, AdjustRight, CharacterUnitFirstIndent, CharacterUnitRightIndent, LineUnitBefore, LineUnitAfter, OrientationBi
wdDialogFormatPicture	Grafik	SetSize, CropLeft, CropRight, CropTop, CropBottom, ScaleX, ScaleY, SizeX, SizeY
wdDialogFormatRetAddrFonts	Absenderadresse	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogFormatSectionLayout	Abschnittslayout	SectionStart, VertAlign, Endnotes, LineNum, StartingNum, FromText, CountBy, NumMode, SectionType
wdDialogFormatStyle	Formatvorlage	Name, Delete, Merge, NewName, BasedOn, NextStyle, Type, FileName, Source, AddToTemplate, Define, Rename, Apply, New
wdDialogFormatStyleGallery	Formatvorlagenkatalog	Template, Preview
wdDialogFormatTabs	Tabstopps bearbeiten	Position, DefTabs, Align, Leader, Set, Clear, ClearAll
wdDialogFormatTheme	Design	(keine)
wdDialogFormFieldOptions	Optionen für Formularfelder	Entry, Exit, Name, Enable, TextType, TextWidth, TextDefault, TextFormat, CheckSize, CheckWidth, CheckDefault, Type, OwnHelp, HelpText, OwnStat, StatText, Calculate
wdDialogHelpAbout	Info	APPNAME, APPCOPYRIGHT, APPUSERNAME, APPORGANIZATION, APPSERIALNUMBER
wdDialogHelpWordPerfectHelpOptions	Hilfeoptionen	CommandKeyHelp, DocNavKeys, MouseSimulation, DemoGuidance, DemoSpeed, HelpType
wdDialogInsertAddCaption	Beschriftung hinzufügen	Name
wdDialogInsertAutoCaption	Auto Beschriftung hinzufügen	Clear, ClearAll, Object, Label, Position
wdDialogInsertBookmark	Textmarke hinzufügen	Name, SortBy, Add, Delete, Goto, Hidden
wdDialogInsertBreak	Manueller Wechsel hinzufügen	Type
wdDialogInsertCaption	Beschriftung hinzufügen	Label, TitleAutoText, Title, Delete, Position, AutoCaption
wdDialogInsertCaptionNumbering	Nummerierung der Beschriftung hinzufügen	Label, FormatNumber, ChapterNumber, Level, Separator, CapNumberingStyle
wdDialogInsertCrossReference	Querverweis hinzufügen	ReferenceType, ReferenceKind, Referenceltem, InsertAsHyperLink, InsertPosition
wdDialogInsertDatabase	Datenbank hinzufügen	Format, Style, LinkToSource, Connection, SQLStatement, SQLStatement1, PasswordDoc, PasswordDot, DataSource, From, To, IncludeFields, WritePasswordDoc, WritePasswordDot

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogInsertDateTime	Datum und Uhrzeit hinzufügen	DateTimePic, InsertAsField, DbCharField, DateLanguage, CalendarType
wdDialogInsertField	Feld hinzufügen	Field
wdDialogInsertFile	Datei einfügen	Name, Range, ConfirmConversions, Link, Attachment
wdDialogInsertFootnote	Fussnote und Endnote hinzufügen	Reference, NoteType, Symbol
wdDialogInsertFormField	Formularfeld hinzufügen	Entry, Exit, Name, Enable, TextType, TextWidth, TextDefault, TextFormat, CheckSize, CheckWidth, CheckDefault, Type, OwnHelp, HelpText, OwnStat, StatText, Calculate
wdDialogInsertHyperlink	Hyperlink einfügen	(keine)
wdDialogInsertIndex	Index hinzufügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogInsertIndexAndTables	Index und Verzeichnisse hinzufügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogInsertNumber	Zahl einfügen	NumPic
wdDialogInsertObject	Objekt einfügen	IconNumber, FileName, Link, DisplayIcon, Tab, Class, IconFileName, Caption, Floating
wdDialogInsertPageNumbers	Seitenzahlen einfügen	Type, Position, FirstPage
wdDialogInsertPicture	Bild einfügen	Name, LinkToFile, New, FloatOverText
wdDialogInsertSubdocument	Filialdokument einfügen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMru, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible
wdDialogInsertSymbol	Symbol (Sonderzeichen) einfügen	Font, Tab, CharNum, Unicode, Hint
wdDialogInsertTableOfAuthorities	Autorenverzeichnis einfügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogInsertTableOfContents	Inhaltsverzeichnis einfügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogInsertTableOfFigures	Abbildungsverzeichnis einfügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogLetterWizard	Brief Assistent	SenderCity, DateFormat, IncludeHeaderFooter, LetterStyle, Letterhead, LetterheadLocation, LetterheadSize, RecipientName, RecipientAddress, Salutation, SalutationType, RecipientGender, RecipientReference, MailingInstructions, AttentionLine, LetterSubject, CCList, SenderName, ReturnAddress, Closing, SenderJobTitle, SenderCompany, SenderInitials, EnclosureNumber, PageDesign, InfoBlock, SenderGender, ReturnAddressSF, RecipientCode, SenderCode, SenderReference
wdDialogListCommands	Befehle auflisten	ListType
wdDialogMailMerge	Seriendruck (nur wenn es sich um ein Seriendruck- Hauptdokument handelt)	CheckErrors, Destination, MergeRecords, From, To, Suppression, MailMerge, QueryOptions, MailSubject, MailAsAttachment, MailAddress
wdDialogMailMergeCheck	Fehlerbehandlung (nur wenn es sich um ein Seriendruck Hauptdokument handelt)	CheckErrors
wdDialogMailMergeCreateDataSource	Datenquelle erstellen Fehlerbehandlung	FileName, PasswordDoc, PasswordDot, HeaderRecord, MSQuery, SQLStatement, SQLStatement1, Connection, LinkToSource, WritePasswordDoc
wdDialogMailMergeCreateHeaderSource	Steuersatzquelle erstellen	FileName, PasswordDoc, PasswordDot, HeaderRecord, MSQuery, SQLStatement, SQLStatement1, Connection, LinkToSource, WritePasswordDoc
wdDialogMailMergeFindRecord	In Feld suchen	Find, Field
wdDialogMailMergeHelper	Seriendruckmanager	Merge, Options
wdDialogMailMergeInsertAsk	Bedingungsfeld einfügen: Frage	Name, Prompt, DefaultBookmarkText, AskOnce
wdDialogMailMergeInsertFillIn	Bedingungsfeld einfügen: Eingeben	Prompt, DefaultFillInText, AskOnce
wdDialogMailMergeInsertIf	Bedingungsfeld einfügen: Wenn	MergeField, Comparison, CompareTo, TrueAutoText, TrueText, FalseAutoText, FalseText
wdDialogMailMergeInsertNextIf	Bedingungsfeld einfügen: Nächster datensatz wenn	MergeField, Comparison, CompareTo
wdDialogMailMergeInsertSet	Bedingungsfeld einfügen: Festlegen	Name, ValueText, ValueAutoText
wdDialogMailMergeInsertSkipIf	Bedingungsfeld einfügen: Datensatz überspringen wenn	MergeField, Comparison, CompareTo
wdDialogMailMergeOpenDataSource	Datenquelle öffnen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMr, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible
wdDialogMailMergeOpenHeaderSource	Steuersatzquelle öffnen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMr, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible



WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogMailMergeQueryOptions	Abfrageoptionen (nur wenn es sich um ein Seriendruck Hauptdokument handelt)	SQLStatement, SQLStatement1
wdDialogMailMergeUseAddressBook	Adressbuch verwenden	AddressBookType
wdDialogMarkCitation	Zitat festlegen	LongCitation, LongCitationAutoText, Category, ShortCitation, NextCitation, Mark, MarkAll
wdDialogMarkIndexEntry	Indeixintrag festlegen	MarkAll, Entry, Range, Bold, Italic, CrossReference, EntryAutoText, CrossReferenceAutoText, Yomi
wdDialogMarkTableOfContentsEntry	Eintrag für Inhaltsverzeichnis festlegen	Entry, EntryAutoText, TableId, Level
wdDialogNewToolbar	Neue Symbolleiste	Name, Context
wdDialogNoteOptions	Optionen für Fußnoten und Endnoten	FootnotesAt, FootNumberAs, FootStartingNum, FootRestartNum, EndnotesAt, EndNumberAs, EndStartingNum, EndRestartNum, FootNumberingStyle, EndNumberingStyle
wdDialogOrganizer	Organisieren	Copy, Delete, Rename, Source, Destination, Name, NewName, Tab
wdDialogPhoneticGuide	Phonetisches Leitzeichen	(keine)
wdDialogTableAutoFormat	Tabelle Auto Format	HideAutoFit, Preview, Format, Borders, Shading, Font, Color, AutoFit, HeadingRows, FirstColumn, LastRow, LastColumn
wdDialogTableDeleteCells	Zellen löschen	ShiftCells
wdDialogTableFormatCell	Zellenhöhe und -breite	Category
wdDialogTableFormula	Formel einfügen	Formula, NumFormat
wdDialogTableInsertCells	Zellen einfügen	ShiftCells
wdDialogTableInsertRow	Zeilen einfügen	NumRows
wdDialogTableInsertTable	Tabelle einfügen	ConvertFrom, NumColumns, NumRows, InitialColWidth, Wizard, Format, Apply, AutoFit, SetDefault, Word8
wdDialogTableSort	Tabelle sortieren	DontSortHdr, FieldNum, Type, Order, FieldNum2, Type2, Order2, FieldNum3, Type3, Order3, Separator, SortColumn, CaseSensitive, SortBiDi, IgnoreHe, Diacritics, IgnoreThe, Kashida, Language
wdDialogTableSplitCells	Zellen teilen	NumColumns, NumRows, MergeBeforeSplit
wdDialogTableToText	Tabelle in Text umwandeln	ConvertTo, NestedTables
wdDialogTCSCTranslator	Vereinfachtes und traditionelles Chinesisch	Direction, Varients, TranslateCommon
wdDialogTextToTable	Text in Tabelle umwandeln	ConvertFrom, NumColumns, NumRows, InitialColWidth, Wizard, Format, Apply, AutoFit, SetDefault, Word8
wdDialogToolsAcceptRejectChanges	Änderungen annehmen oder ablehnen	ShowMarks, HideMarks, Wrap, FindPrevious, FindNext, AcceptRevisions, RejectRevisions, AcceptAll, RejectAll
wdDialogToolsAdvancedSettings	Weitere Einstellungen	Application, Option, Setting, Delete, Set
wdDialogToolsAutoCorrect	Autokorrektur	InitialCaps, SentenceCaps, Days, CapsLock, ReplaceText, Formatting, Replace, With, Add, Delete, SmartQuotes, CorrectHangulAndAlphabet, ConvBrackets, ConvQuotes, ConvPunct, ReplaceTextFromSpellingChecker

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogToolsAutoCorrectExceptions	Autokorrektur – Ausnahmen	Tab, Name, AutoAdd, Add, Delete
wdDialogToolsAutoManager	Autokorrektur	Tab
wdDialogToolsAutoSummarize	Dokument zusammenfassen	TextSize, Show, Update
wdDialogToolsBulletsNumbers	Nummerierung- und Aufzählungszeichen	Replace, Font, CharNum, Type, FormatOutline, AutoUpdate, FormatNumber, Punctuation, StartAt, Points, Hang, Indent, Remove, DoubleQuote
wdDialogToolsCompareDocuments	Datei vergleichen	Name
wdDialogToolsCreateDirectory	Verzeichnis erstellen	Directory
wdDialogToolsCreateEnvelope	Umschläge	ExtractAddress, LabelListIndex, LabelIndex, LabelDotMatrix, LabelTray, LabelAcross, LabelDown, EnvAddress, EnvOmitReturn, EnvReturn, PrintBarCode, SingleLabel, LabelRow, LabelColumn, PrintEnvLabel, AddToDocument, EnvWidth, EnvHeight, EnvPaperSize, PrintFIMA, UseEnvFeeder, Tab, AddrAutoText, AddrText, AddrFromLeft, AddrFromTop, RetAddrFromLeft, RetAddrFromTop, LabelTopMargin, LabelSideMargin, LabelVertPitch, LabelHorPitch, LabelHeight, LabelWidth, CustomName, RetAddrText, EnvPaperName, DefaultFaceUp, DefaultOrientation, RetAddrAutoText
wdDialogToolsCreateLabels	Etiketten	ExtractAddress, LabelListIndex, LabelIndex, LabelDotMatrix, LabelTray, LabelAcross, LabelDown, EnvAddress, EnvOmitReturn, EnvReturn, PrintBarCode, SingleLabel, LabelRow, LabelColumn, PrintEnvLabel, AddToDocument, EnvWidth, EnvHeight, EnvPaperSize, PrintFIMA, UseEnvFeeder, Tab, AddrAutoText, AddrText, AddrFromLeft, AddrFromTop, RetAddrFromLeft, RetAddrFromTop, LabelTopMargin, LabelSideMargin, LabelVertPitch, LabelHorPitch, LabelHeight, LabelWidth, CustomName, RetAddrText, EnvPaperName, DefaultFaceUp, DefaultOrientation, RetAddrAutoText
wdDialogToolsCustomize	Anpassen	KeyCode, KeyCode2, MenuType, Position, AddAll, Category, Name, Menu, AddBelow, MenuText, Rename, Add, Remove, ResetAll, CommandValue, Context, Tab
wdDialogToolsCustomizeKeyboard	Tastatur anpassen	KeyCode, KeyCode2, MenuType, Position, AddAll, Category, Name, Menu, AddBelow, MenuText, Rename, Add, Remove, ResetAll, CommandValue, Context, Tab
wdDialogToolsCustomizeMenuBar	Menüleiste anpassen	Context, Position, MenuType, MenuText, Menu, Add, Remove, Rename
wdDialogToolsCustomizeMenus	Anpassen	KeyCode, KeyCode2, MenuType, Position, AddAll, Category, Name, Menu, AddBelow, MenuText, Rename, Add, Remove, ResetAll, CommandValue, Context, Tab

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogToolsEnvelopesAndLabels	Umschläge und Etiketten	ExtractAddress, LabelListIndex, LabelIndex, LabelDotMatrix, LabelTray, LabelAcross, LabelDown, EnvAddress, EnvOmitReturn, EnvReturn, PrintBarCode, SingleLabel, LabelRow, LabelColumn, PrintEnvLabel, AddToDocument, EnvWidth, EnvHeight, EnvPaperSize, PrintFIMA, UseEnvFeeder, Tab, AddrAutoText, AddrText, AddrFromLeft, AddrFromTop, RetAddrFromLeft, RetAddrFromTop, LabelTopMargin, LabelSideMargin, LabelVertPitch, LabelHorPitch, LabelHeight, LabelWidth, CustomName, RetAddrText, EnvPaperName, DefaultFaceUp, DefaultOrientation, RetAddrAutoText
wdDialogToolsHighlightChanges	Änderungen hervorheben	MarkRevisions, ViewRevisions, PrintRevisions, AcceptAll, RejectAll
wdDialogToolsHyphenation	Silbentrennung	AutoHyphenation, HyphenateCaps, HyphenationZone, LimitConsecutiveHyphens
wdDialogToolsLanguage	Sprache	Language, CheckLanguage, Default, NoProof
wdDialogToolsMacro	Makros	Name, Run, Edit, Show, Delete, Rename, Description, NewName, SetDesc
wdDialogToolsMacroRecord	Makro aufzeichnen	(Dieses Dialogfeld kann nicht durch ein Makro aufgerufen werden.)
wdDialogToolsManageFields	Feld-Manager	FieldName, Add, Remove, Rename, NewName
wdDialogToolsMergeDocuments	Dokument zusammenführen	Name
wdDialogToolsOptions	Optionen	Tab
wdDialogToolsOptionsAutoFormat	Autokorrektur Optionen	ApplyStylesHeadings, ApplyStylesLists, ApplyBulletedLists, ApplyStylesOtherParas, ReplaceQuotes, ReplaceOrdinals, ReplaceFractions, ReplaceSymbols, ReplacePlainTextEmphasis, ReplaceHyperlinks, PreserveStyles, PlainTextWordMail, ApplyFirstIndent, MatchParentheses, ReplaceDbDashes, ReplaceAutoSpaces
wdDialogToolsOptionsAutoFormatAsYouType	Autokorrektur während der Eingabe (Optionen)	ApplyStylesHeadings, ApplyBorders, ApplyTables, ApplyDates, ApplyBulletedLists, ApplyNumberedLists, ApplyFirstIndent, ApplyClosings, ReplaceQuotes, ReplaceOrdinals, ReplaceFractions, ReplaceSymbols, ReplacePlainTextEmphasis, ReplaceHyperlinks, MatchParentheses, ReplaceAutoSpaces, ReplaceDbDashes, FormatListItemBeginning, DefineStyles, InsertOvers, InsertClosings, AutoLetterWizard, ShowOptionsFor, ApplyStylesLists, ApplySkipList, ApplyStylesOtherParas, ReplaceBullets, AdjustParaMarks, AdjustTabsSpaces, AdjustEmptyParas, PreserveStyles
wdDialogToolsOptionsBidi	Optionen/Rechts nach Links	DocViewDir, AddCtrlCopy, HebDoubleQuote, Numbers, Move, Sel, BiDirectional, ShowDiac, DiffDiacColor, Date, AdvanceHijri, MasterDocDir, OutlineDir, DiacriticColorVal

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogToolsOptionsCompatibility	Optionen/Kompatibilität	Product, Default, NoTabHangIndent, NoSpaceRaiseLower, PrintColBlack, WrapTrailSpaces, NoColumnBalance, ConvMailMergeEsc, SuppressSpBfAfterPgBrk, SuppressTopSpacing, OrigWordTableRules, TransparentMetafiles, ShowBreaksInFrames, SwapBordersFacingPages, LeaveBackslashAlone, ExpandShiftReturn, DontULTrailSpace, DontBalanceSbDbWidth, SuppressTopSpacingMac5, SpacingInWholePoints, PrintBodyTextBeforeHeader, NoLeading, NoSpaceForUL, MWSmallCaps, NoExtraLineSpacing, TruncateFontHeight, SubFontBySize, UsePrinterMetrics, WW6BorderRules, ExactOnTop, SuppressBottomSpacing, WPSpaceWidth, WPJustification, LineWrapLikeWord6, SpLayoutLikeWW8, FtnLayoutLikeWW8, DontUseHTMLParagraphAutoSpacing, DontAdjustLineHeightInTable, ForgetLastTabAlignment, UseAutospaceForFullWidthAlpha, AlignTablesRowByRow, LayoutRawTableWidth, LayoutTableRowsApart, UseWord97LineBreakingRules
wdDialogToolsOptionsEdit	Optionen/Bearbeiten	ReplaceSelection, DragAndDrop, AutoWordSelection, InsForPaste, Overtyp, SmartCutPaste, AllowAccentedUppercase, PictureEditor, TabIndent, BsParaAlign, InlineConversion, IMELosingFocus, AllowClickAndTypeMouse, ClickAndTypeParagraphStyle, AutoKeyBi
wdDialogToolsOptionsFileLocations	Optionen/Speicherort für Dateien	Path, Setting
wdDialogToolsOptionsFuzzy	Suchoptionen	FuzzyCase, FuzzyByte, FuzzyHira, FuzzySmKana, FuzzyMinus, FuzzyRepSymbol, FuzzyKanji, FuzzyOldKana, FuzzyLongVowel, FuzzyDZ, FuzzyBV, FuzzyTC, FuzzyHF, FuzzyZJ, FuzzyAY, FuzzyKIKU, FuzzyPunct, FuzzySpace
wdDialogToolsOptionsGeneral	Optionen/Allgemein	Pagination, WPHelp, WPDNavKeys, BlueScreen, ErrorBeeps, Effects3d, UpdateLinks, SendMailAttach, RecentFiles, RecentFileCount, Units, ButtonFieldClicks, ShortMenuNames, RTFInClipboard, ConfirmConversions, TipWizardActive, AnimatedCursors, VirusProtection, SeparateFont, InterpretHIANSIToDBC, ExitWithRestoreSession, AsianText, PixelsInDialogs, UseCharacterUnit
wdDialogToolsOptionsPrint	Optionen/Drucken	Draft, Reverse, UpdateFields, Summary, ShowCodes, Annotations, ShowHidden, EnvFeederInstalled, WidowControl, DflitTrueType, UpdateLinks, Background, DrawingObjects, FormsData, DefaultTray, PSOverText, MapPaperSize, FractionalWidths, PrOrder1, PrOrder2
wdDialogToolsOptionsSave	Optionen/Speichern	CreateBackup, FastSaves, SummaryPrompt, GlobalDotPrompt, NativePictureFormat, EmbedFonts, FormsData, AutoSave, SaveInterval, Password, WritePassword, RecommendReadOnly, SubsetFonts, BackgroundSave, DefaultSaveFormat, AddCtrlSave

WdWordDialog-Konstante (*)	Bedeutung	Argumente
wdDialogToolsOptionsSpellingAndGrammar	Optionen/Rechtschreibung und Grammatik	AlwaysSuggest, SuggestFromMainDictOnly, IgnoreAllCaps, IgnoreMixedDigits, ResetIgnoreAll, Type, CustomDict1, CustomDict2, CustomDict3, CustomDict4, CustomDict5, CustomDict6, CustomDict7, CustomDict8, CustomDict9, CustomDict10, AutomaticSpellChecking, FilenamesEmailAliases, UserDict1, AutomaticGrammarChecking, ForegroundGrammar, ShowStatistics, Options, RecheckDocument, IgnoreAuxFind, IgnoreMissDictSearch, HideGrammarErrors, CheckSpelling, GrLidUI, SpLidUI, DictLang1, DictLang2, DictLang3, DictLang4, DictLang5, DictLang6, DictLang7, DictLang8, DictLang9, DictLang10, HideSpellingErrors, HebSpellStart, InitialAlefHamza, FinalYaa, GermanPostReformSpell, AraSpeller, ProcessCompoundNoun
wdDialogToolsOptionsTrackChanges	Optionen/Änderung verfolgen	InsertedTextMark, InsertedTextColor, DeletedTextMark, DeletedTextColor, RevisedLinesMark, RevisedLinesColor, HighlightColor, RevisedPropertiesMark, RevisedPropertiesColor
wdDialogToolsOptionsTypography	Asiatische Typographie	KerningPairs, Justification, PunctLevel, FollowingPunct, LeadingPunct, ApplyToTemplate, JapaneseKinsokuStrict, FarEastLineBreakLanguage
wdDialogToolsOptionsUserInfo	Benutzerinformationen	Name, Initials, Address
wdDialogToolsOptionsView	Optionen/Ansicht	DraftFont, WrapToWindow, PicturePlaceHolders, FieldCodes, BookMarks, FieldShading, StatusBar, HScroll, VScroll, StyleAreaWidth, Tabs, Spaces, Paras, Hyphens, Hidden, ShowAll, Drawings, Anchors, TextBoundaries, VRuler, Highlight, ShowAnimation, ScrnTp, LeftScroll, RRuler, OptionalBreak, EnlargeFontsLessThan, BrowseToWindow
wdDialogToolsProtectDocument	Dokument schützen	DocumentPassword, NoReset, Type
wdDialogToolsProtectSection	Abschnitt schützen	Protect, Section
wdDialogToolsRevisions	Änderungen hervorheben	MarkRevisions, ViewRevisions, PrintRevisions, AcceptAll, RejectAll
wdDialogToolsSpellingAndGrammar	Rechtschreibung und Grammatik	SuggestionListBox, ForegroundGrammar
wdDialogToolsTemplates	Dokumentenvorlagen und Add-Ins	Store, Template, LinkStyles
wdDialogToolsThesaurus		(keine)
wdDialogToolsUnprotectDocument	Dokumentenschutz aufheben	DocumentPassword
wdDialogToolsWordCount	Wörter zählen	CountFootnotes, Pages, Words, Characters, DBCs, SBCs, CharactersIncludingSpaces, Paragraphs, Lines
wdDialogUpdateTOC	Inhaltsverzeichnis aktualisieren	(keine)
wdDialogViewZoom	Zoom	AutoFit, TwoPages, FullPage, NumColumns, NumRows, ZoomPercent, TextFit
wdDialogWebOptions	Weboptionen	(keine)
wdDialogWindowActivate	Aktivieren	Window

## Sortiert nach Bedeutung (\*)

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogToolsThesaurus		(keine)
wdDialogInsertTableOfFigures	Abbildungsverzeichnis einfügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogMailMergeQueryOptions	Abfrageoptionen (nur wenn es sich um ein Seriendruck Hauptdokument handelt)	SQLStatement, SQLStatement1
wdDialogFormatParagraph	Absatz bearbeiten	LeftIndent, RightIndent, Before, After, LineSpacingRule, LineSpacing, Alignment, WidowControl, KeepWithNext, KeepTogether, PageBreak, NoLineNum, DontHyphen, Tab, FirstIndent, OutlineLevel, Kinsoku, WordWrap, OverflowPunct, TopLinePunct, AutoSpaceDE, LineHeightGrid, AutoSpaceDN, CharAlign, CharacterUnitLeftIndent, AdjustRight, CharacterUnitFirstIndent, CharacterUnitRightIndent, LineUnitBefore, LineUnitAfter, OrientationBi
wdDialogFormatDefineStylePara	Absatz definieren	LeftIndent, RightIndent, Before, After, LineSpacingRule, LineSpacing, Alignment, WidowControl, KeepWithNext, KeepTogether, PageBreak, NoLineNum, DontHyphen, Tab, FirstIndent, OutlineLevel, Kinsoku, WordWrap, OverflowPunct, TopLinePunct, AutoSpaceDE, LineHeightGrid, AutoSpaceDN, CharAlign, CharacterUnitLeftIndent, AdjustRight, CharacterUnitFirstIndent, CharacterUnitRightIndent, LineUnitBefore, LineUnitAfter, OrientationBi
wdDialogToolsProtectSection	Abschnitt schützen	Protect, Section
wdDialogFormatSectionLayout	Abschnittslayout	SectionStart, VertAlign, Endnotes, LineNum, StartingNum, FromText, CountBy, NumMode, SectionType
wdDialogFormatRetAddrFonts	Absenderadresse	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogMailMergeUseAddressBook	Adressbuch verwenden	AddressBookType
wdDialogWindowActivate	Aktivieren	Window
wdDialogToolsAcceptRejectChanges	Änderungen annehmen oder ablehnen	ShowMarks, HideMarks, Wrap, FindPrevious, FindNext, AcceptRevisions, RejectRevisions, AcceptAll, RejectAll
wdDialogToolsHighlightChanges	Änderungen hervorheben	MarkRevisions, ViewRevisions, PrintRevisions, AcceptAll, RejectAll
wdDialogToolsRevisions	Änderungen hervorheben	MarkRevisions, ViewRevisions, PrintRevisions, AcceptAll, RejectAll

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogToolsCustomize	Anpassen	KeyCode, KeyCode2, MenuType, Position, AddAll, Category, Name, Menu, AddBelow, MenuText, Rename, Add, Remove, ResetAll, CommandValue, Context, Tab
wdDialogToolsCustomizeMenus	Anpassen	KeyCode, KeyCode2, MenuType, Position, AddAll, Category, Name, Menu, AddBelow, MenuText, Rename, Add, Remove, ResetAll, CommandValue, Context, Tab
wdDialogToolsOptionsTypography	Asiatische Typographie	KerningPairs, Justification, PunctLevel, FollowingPunct, LeadingPunct, ApplyToTemplate, JapaneseKinsokuStrict, FarEastLineBreakLanguage
wdDialogDrawAlign	Ausrichten (Zeichnungen)	Horizontal, Vertical, RelativeTo
wdDialogInsertAutoCaption	Auto Beschriftung hinzufügen	Clear, ClearAll, Object, Label, Position
wdDialogToolsAutoCorrect	Autokorrektur	InitialCaps, SentenceCaps, Days, CapsLock, ReplaceText, Formatting, Replace, With, Add, Delete, SmartQuotes, CorrectHangulAndAlphabet, ConvBrackets, ConvQuotes, ConvPunct, ReplaceTextFromSpellingChecker
wdDialogToolsAutoManager	Autokorrektur	Tab
wdDialogToolsAutoCorrectExceptions	Autokorrektur – Ausnahmen	Tab, Name, AutoAdd, Add, Delete
wdDialogEditAutoText	Autokorrektur AutoText	Name, Context, InsertAs, Insert, Add, Define, InsertAsText, Delete, CompleteAT
wdDialogToolsOptionsAutoFormat	Autokorrektur Optionen	ApplyStylesHeadings, ApplyStylesLists, ApplyBulletedLists, ApplyStylesOtherParas, ReplaceQuotes, ReplaceOrdinals, ReplaceFractions, ReplaceSymbols, ReplacePlainTextEmphasis, ReplaceHyperlinks, PreserveStyles, PlainTextWordMail, ApplyFirstIndent, MatchParentheses, ReplaceDbDashes, ReplaceAutoSpaces
wdDialogToolsOptionsAutoFormatAsYouType	Autokorrektur während der Eingabe (Optionen)	ApplyStylesHeadings, ApplyBorders, ApplyTables, ApplyDates, ApplyBulletedLists, ApplyNumberedLists, ApplyFirstIndent, ApplyClosings, ReplaceQuotes, ReplaceOrdinals, ReplaceFractions, ReplaceSymbols, ReplacePlainTextEmphasis, ReplaceHyperlinks, MatchParentheses, ReplaceAutoSpaces, ReplaceDbDashes, FormatListItemBeginning, DefineStyles, InsertOvers, InsertClosings, AutoLetterWizard, ShowOptionsFor, ApplyStylesLists, ApplySkipList, ApplyStylesOtherParas, ReplaceBullets, AdjustParaMarks, AdjustTabsSpaces, AdjustEmptyParas, PreserveStyles
wdDialogInsertTableOfAuthorities	Autorenverzeichnis einfügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogCreateAutoText	AutoText erstellen	(keine)
wdDialogMailMergeInsertSkipIf	Bedingungsfeld einfügen: Datensatz überspringen wenn	MergeField, Comparison, CompareTo
wdDialogMailMergeInsertFillIn	Bedingungsfeld einfügen: Eingeben	Prompt, DefaultFillInText, AskOnce

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogMailMergeInsertSet	Bedingungsfeld einfügen: Festlegen	Name, ValueText, ValueAutoText
wdDialogMailMergeInsertAsk	Bedingungsfeld einfügen: Frage	Name, Prompt, DefaultBookmarkText, AskOnce
wdDialogMailMergeInsertNextIf	Bedingungsfeld einfügen: Nächster Datensatz wenn	MergeField, Comparison, CompareTo
wdDialogMailMergeInsertIf	Bedingungsfeld einfügen: Wenn	MergeField, Comparison, CompareTo, TrueAutoText, TrueText, FalseAutoText, FalseText
wdDialogListCommands	Befehle auflisten	ListType
wdDialogToolsOptionsUserInfo	Benutzerinformationen	Name, Initials, Address
wdDialogInsertAddCaption	Beschriftung hinzufügen	Name
wdDialogInsertCaption	Beschriftung hinzufügen	Label, TitleAutoText, Title, Delete, Position, AutoCaption
wdDialogInsertPicture	Bild einfügen	Name, LinkToFile, New, FloatOverText
wdDialogLetterWizard	Brief Assistent	SenderCity, DateFormat, IncludeHeaderFooter, LetterStyle, Letterhead, LetterheadLocation, LetterheadSize, RecipientName, RecipientAddress, Salutation, SalutationType, RecipientGender, RecipientReference, MailingInstructions, AttentionLine, LetterSubject, CCList, SenderName, ReturnAddress, Closing, SenderJobTitle, SenderCompany, SenderInitials, EnclosureNumber, PageDesign, InfoBlock, SenderGender, ReturnAddressSF, RecipientCode, SenderCode, SenderReference
wdDialogInsertFile	Datei einfügen	Name, Range, ConfirmConversions, Link, Attachment
wdDialogFileFind	Datei einfügen (suchen)	SearchName, SearchPath, Name, SubDir, Title, Author, Keywords, Subject, Options, MatchCase, Text, PatternMatch, DateSavedFrom, DateSavedTo, SavedBy, DateCreatedFrom, DateCreatedTo, View, SortBy, ListBy, SelectedFile, Add, Delete, ShowFolders, MatchByte
wdDialogFileNew	Datei Neu	Template, NewTemplate, DocumentType, Visible
wdDialogFileOpen	Datei öffnen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMru, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible
wdDialogToolsCompareDocuments	Datei vergleichen	Name
wdDialogInsertDatabase	Datenbank hinzufügen	Format, Style, LinkToSource, Connection, SQLStatement, SQLStatement1, PasswordDoc, PasswordDot, DataSource, From, To, IncludeFields, WritePasswordDoc, WritePasswordDot
wdDialogMailMergeCreateDataSource	Datenquelle erstellen Fehlerbehandlung	FileName, PasswordDoc, PasswordDot, HeaderRecord, MSQuery, SQLStatement, SQLStatement1, Connection, LinkToSource, WritePasswordDoc
wdDialogMailMergeOpenDataSource	Datenquelle öffnen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMru, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible
wdDialogInsertDateTime	Datum und Uhrzeit hinzufügen	DateTimePic, InsertAsField, DbCharField, DateLanguage, CalendarType
wdDialogFormatTheme	Design	(keine)



WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogToolsProtectDocument	Dokument schützen	DocumentPassword, NoReset, Type
wdDialogToolsAutoSummarize	Dokument zusammenfassen	TextSize, Show, Update
wdDialogToolsMergeDocuments	Dokument zusammenführen	Name
wdDialogToolsUnprotectDocument	Dokumentenschutz aufheben	DocumentPassword
wdDialogDocumentStatistics	Dokumentenstatistik	FileName, Directory, Template, Title, Created, LastSaved, LastSavedBy, Revision, Time, Printed, Pages, Words, Characters, Paragraphs, Lines, FileSize
wdDialogToolsTemplates	Dokumentenvorlagen und Add-Ins	Store, Template, LinkStyles
wdDialogFilePrint	Drucken	Background, AppendPrFile, Range, PrToFileName, From, To, Type, NumCopies, Pages, Order, PrintToFile, Collate, FileName, Printer, OutputPrinter, DuplexPrint, PrintZoomColumn, PrintZoomRow, PrintZoomPaperWidth, PrintZoomPaperHeight
wdDialogFilePrintSetup	Druckereinrichtung	Printer, Options, Network, DoNotSetAsSysDefault
wdDialogFileSummaryInfo	Eigenschaften	Title, Subject, Author, Keywords, Comments, FileName, Directory, Template, CreateDate, LastSavedDate, LastSavedBy, RevisionNumber, EditTime, LastPrintedDate, NumPages, NumWords, NumChars, NumParas, NumLines, Update, FileSize
wdDialogFormatEncloseCharacters	Eingeschlossene Zeichen	Style, Text, Enclosure
wdDialogMarkTableOfContentsEntry	Eintrag für Inhaltsverzeichnis festlegen	Entry, EntryAutoText, TableId, Level
wdDialogEmailOptions	Email Optionen	(keine)
wdDialogFormatAddrFonts	Empfängeradresse formatieren	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogEditGoToOld	Erweiterte Formatierung	(keine)
wdDialogToolsCreateLabels	Etiketten	ExtractAddress, LabelListIndex, LabelIndex, LabelDotMatrix, LabelTray, LabelAcross, LabelDown, EnvAddress, EnvOmitReturn, EnvReturn, PrintBarCode, SingleLabel, LabelRow, LabelColumn, PrintEnvLabel, AddToDocument, EnvWidth, EnvHeight, EnvPaperSize, PrintFIMA, UseEnvFeeder, Tab, AddrAutoText, AddrText, AddrFromLeft, AddrFromTop, RetAddrFromLeft, RetAddrFromTop, LabelTopMargin, LabelSideMargin, LabelVertPitch, LabelHorPitch, LabelHeight, LabelWidth, CustomName, RetAddrText, EnvPaperName, DefaultFaceUp, DefaultOrientation, RetAddrAutoText
wdDialogMailMergeCheck	Fehlerbehandlung (nur wenn es sich um ein Seriendruck Hauptdokument handelt)	CheckErrors
wdDialogInsertField	Feld hinzufügen	Field
wdDialogToolsManageFields	Feld-Manager	FieldName, Add, Remove, Rename, NewName

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogInsertSubdocument	Filialdokument einfügen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMru, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible
wdDialogFormatStyle	Formatvorlage	Name, Delete, Merge, NewName, BasedOn, NextStyle, Type, FileName, Source, AddToTemplate, Define, Rename, Apply, New
wdDialogFormatStyleGallery	Formatvorlagenkatalog	Template, Preview
wdDialogTableFormula	Formel einfügen	Formula, NumFormat
wdDialogInsertFormField	Formularfeld hinzufügen	Entry, Exit, Name, Enable, TextType, TextWidth, TextDefault, TextFormat, CheckSize, CheckWidth, CheckDefault, Type, OwnHelp, HelpText, OwnStat, StatText, Calculate
wdDialogInsertFootnote	Fussnote und Endnote hinzufügen	Reference, NoteType, Symbol
wdDialogFormatPicture	Grafik	SetSize, CropLeft, CropRight, CropTop, CropBottom, ScaleX, ScaleY, SizeX, SizeY
wdDialogFormatChangeCase	Groß- Kleinschreibung	Type
wdDialogHelpWordPerfectHelpOptions	Hilfeoptionen	CommandKeyHelp, DocNavKeys, MouseSimulation, DemoGuidance, DemoSpeed, HelpType
wdDialogInsertHyperlink	Hyperlink einfügen	(keine)
wdDialogMailMergeFindRecord	In Feld suchen	Find, Field
wdDialogInsertIndex	Index hinzufügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogInsertIndexAndTables	Index und Verzeichnisse hinzufügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage
wdDialogMarkIndexEntry	Indexeintrag festlegen	MarkAll, Entry, Range, Bold, Italic, CrossReference, EntryAutoText, CrossReferenceAutoText, Yomi
wdDialogHelpAbout	Info	APPNAME, APPCOPYRIGHT, APPUSERNAME, APPORGANIZATION, APPSERIALNUMBER
wdDialogEditPasteSpecial	Inhalte einfügen	IconNumber, Link, DisplayIcon, Class, DataType, IconFileName, Caption, Floating
wdDialogUpdateTOC	Inhaltsverzeichnis aktualisieren	(keine)
wdDialogInsertTableOfContents	Inhaltsverzeichnis einfügen	Outline, Fields, From, To, TableId, AddedStyles, Caption, HeadingSeparator, Replace, MarkEntry, AutoMark, MarkCitation, Type, RightAlignPageNumbers, Passim, KeepFormatting, Columns, Category, Label, ShowPageNumbers, AccentedLetters, Filter, SortBy, Leader, TOCUseHyperlinks, TOCHidePageNumInWeb, IndexLanguage

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogFormatDropCap	Initial	Position, Font, DropHeight, DistFromText
wdDialogEditTOACategory	Kategorie bearbeiten	Category, CategoryName
wdDialogConvertObject	Konvertieren	IconNumber, ActivateAs, IconFileName, Caption, Class, DisplayIcon, Floating
wdDialogCopyFile	Kopieren	FileName, Directory
wdDialogToolsMacroRecord	Makro aufzeichnen	(Dieses Dialogfeld kann nicht durch ein Makro aufgerufen werden.)
wdDialogToolsMacro	Makros	Name, Run, Edit, Show, Delete, Rename, Description, NewName, SetDesc
wdDialogInsertBreak	Manueller Wechsel hinzufügen	Type
wdDialogToolsCustomizeMenuBar	Menüleiste anpassen	Context, Position, MenuType, MenuText, Menu, Add, Remove, Rename
wdDialogNewToolbar	Neue Symbolleiste	Name, Context
wdDialogInsertCaptionNumbering	Nummerierung der Beschriftung hinzufügen	Label, FormatNumber, ChapterNumber, Level, Separator, CapNumberingStyle
wdDialogToolsBulletsNumbers	Nummerierung- und Aufzählungszeichen	Replace, Font, CharNum, Type, FormatOutline, AutoUpdate, FormatNumber, Punctuation, StartAt, Points, Hang, Indent, Remove, DoubleQuote
wdDialogFormatBulletsAndNumbering	Nummerierung und Aufzählungszeichen bearbeiten	(keine)
wdDialogEditObject	Objekt bearbeiten (Imaging)	Verb
wdDialogInsertObject	Objekt einfügen	IconNumber, FileName, Link, DisplayIcon, Tab, Class, IconFileName, Caption, Floating
wdDialogFormatDrawingObject	Objekt, AutoForm usw. formatieren	Left, PositionHorzRel, Top, PositionVertRel, LockAnchor, FloatOverText, WrapSide, TopDistanceFromText, BottomDistanceFromText, LeftDistanceFromText, RightDistanceFromText, Wrap, HRWidthType, HRHeight, HRNoshade, HRAAlign, Text, AllowOverlap, HorizRule
wdDialogToolsOptions	Optionen	Tab
wdDialogFormFieldOptions	Optionen für Formularfelder	Entry, Exit, Name, Enable, TextType, TextWidth, TextDefault, TextFormat, CheckSize, CheckWidth, CheckDefault, Type, OwnHelp, HelpText, OwnStat, StatText, Calculate
wdDialogNoteOptions	Optionen für Fußnoten und Endnoten	FootnotesAt, FootNumberAs, FootStartingNum, FootRestartNum, EndnotesAt, EndNumberAs, EndStartingNum, EndRestartNum, FootNumberingStyle, EndNumberingStyle
wdDialogToolsOptionsGeneral	Optionen/Allgemein	Pagination, WPHelp, WPDdocNavKeys, BlueScreen, ErrorBeeps, Effects3d, UpdateLinks, SendMailAttach, RecentFiles, RecentFileCount, Units, ButtonFieldClicks, ShortMenuNames, RTFInClipboard, ConfirmConversions, TipWizardActive, AnimatedCursors, VirusProtection, SeparateFont, InterpretHANSIToDBC, ExitWithRestoreSession, AsianText, PixelsInDialogs, UseCharacterUnit
wdDialogToolsOptionsTrackChanges	Optionen/Änderung verfolgen	InsertedTextMark, InsertedTextColor, DeletedTextMark, DeletedTextColor, RevisedLinesMark, RevisedLinesColor, HighlightColor, RevisedPropertiesMark, RevisedPropertiesColor

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogToolsOptionsView	Optionen/Ansicht	DraftFont, WrapToWindow, PicturePlaceHolders, FieldCodes, BookMarks, FieldShading, StatusBar, HScroll, VScroll, StyleAreaWidth, Tabs, Spaces, Paras, Hyphens, Hidden, ShowAll, Drawings, Anchors, TextBoundaries, VRuler, Highlight, ShowAnimation, ScrnTp, LeftScroll, RRuler, OptionalBreak, EnlargeFontsLessThan, BrowseToWindow
wdDialogToolsOptionsEdit	Optionen/Bearbeiten	ReplaceSelection, DragAndDrop, AutoWordSelection, InsForPaste, Overtime, SmartCutPaste, AllowAccentedUppercase, PictureEditor, TabIndent, BsParaAlign, InlineConversion, IMELosingFocus, AllowClickAndTypeMouse, ClickAndTypeParagraphStyle, AutoKeyBi
wdDialogToolsOptionsPrint	Optionen/Drucken	Draft, Reverse, UpdateFields, Summary, ShowCodes, Annotations, ShowHidden, EnvFeederInstalled, WidowControl, DfltTrueType, UpdateLinks, Background, DrawingObjects, FormsData, DefaultTray, PSoVerText, MapPaperSize, FractionalWidths, PrOrder1, PrOrder2
wdDialogToolsOptionsCompatibility	Optionen/Kompatibilität	Product, Default, NoTabHangIndent, NoSpaceRaiseLower, PrintColBlack, WrapTrailSpaces, NoColumnBalance, ConvMailMergeEsc, SuppressSpBfAfterPgBrk, SuppressTopSpacing, OrigWordTableRules, TransparentMetafiles, ShowBreaksInFrames, SwapBordersFacingPages, LeaveBackslashAlone, ExpandShiftReturn, DontULTrailSpace, DontBalanceSbDbWidth, SuppressTopSpacingMac5, SpacingInWholePoints, PrintBodyTextBeforeHeader, NoLeading, NoSpaceForUL, MWSmallCaps, NoExtraLineSpacing, TruncateFontHeight, SubFontBySize, UsePrinterMetrics, WW6BorderRules, ExactOnTop, SuppressBottomSpacing, WPSpaceWidth, WPJustification, LineWrapLikeWord6, SpLayoutLikeWW8, FtnLayoutLikeWW8, DontUseHTMLParagraphAutoSpacing, DontAdjustLineHeightInTable, ForgetLastTabAlignment, UseAutospaceForFullWidthAlpha, AlignTablesRowByRow, LayoutRawTableWidth, LayoutTableRowsApart, UseWord97LineBreakingRules
wdDialogToolsOptionsBidi	Optionen/Rechts nach Links	DocViewDir, AddCtrlCopy, HebDoubleQuote, Numbers, Move, Sel, BiDirectional, ShowDiac, DiffDiacColor, Date, AdvanceHijri, MasterDocDir, OutlineDir, DiacriticColorVal

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogToolsOptionsSpellingAndGrammar	Optionen/Rechtschreibung und Grammatik	AlwaysSuggest, SuggestFromMainDictOnly, IgnoreAllCaps, IgnoreMixedDigits, ResetIgnoreAll, Type, CustomDict1, CustomDict2, CustomDict3, CustomDict4, CustomDict5, CustomDict6, CustomDict7, CustomDict8, CustomDict9, CustomDict10, AutomaticSpellChecking, FilenamesEmailAliases, UserDict1, AutomaticGrammarChecking, ForegroundGrammar, ShowStatistics, Options, RecheckDocument, IgnoreAuxFind, IgnoreMissDictSearch, HideGrammarErrors, CheckSpelling, GrLidUI, SpLidUI, DictLang1, DictLang2, DictLang3, DictLang4, DictLang5, DictLang6, DictLang7, DictLang8, DictLang9, DictLang10, HideSpellingErrors, HebSpellStart, InitialAlefHamza, FinalYaa, GermanPostReformSpell, AraSpeller, ProcessCompoundNoun
wdDialogToolsOptionsSave	Optionen/Speichern	CreateBackup, FastSaves, SummaryPrompt, GlobalDotPrompt, NativePictureFormat, EmbedFonts, FormsData, AutoSave, SaveInterval, Password, WritePassword, RecommendReadOnly, SubsetFonts, BackgroundSave, DefaultSaveFormat, AddCtrlSave
wdDialogToolsOptionsFileLocations	Optionen/Speicherort für Dateien	Path, Setting
wdDialogOrganizer	Organisieren	Copy, Delete, Rename, Source, Destination, Name, NewName, Tab
wdDialogPhoneticGuide	Phonetisches Leitzeichen	(keine)
wdDialogFormatFrame	Positionsrahmen bearbeiten	Wrap, WidthRule, FixedWidth, HeightRule, FixedHeight, PositionHorz, PositionHorzRel, DistFromText, PositionVert, PositionVertRel, DistVertFromText, MoveWithText, LockAnchor, RemoveFrame
wdDialogFormatDefineStyleFrame	Positionsrahmen festlegen	Wrap, WidthRule, FixedWidth, HeightRule, FixedHeight, PositionHorz, PositionHorzRel, DistFromText, PositionVert, PositionVertRel, DistVertFromText, MoveWithText, LockAnchor, RemoveFrame
wdDialogInsertCrossReference	Querverweis hinzufügen	ReferenceType, ReferenceKind, ReferenceItem, InsertAsHyperLink, InsertPosition
wdDialogFormatBordersAndShading	Rahmen und Schattierung bearbeiten	ApplyTo, Shadow, TopBorder, LeftBorder, BottomBorder, RightBorder, HorizBorder, VertBorder, TopColor, LeftColor, BottomColor, RightColor, HorizColor, VertColor, FromText, Shading, Foreground, Background, Tab, FineShading, TopStyle, LeftStyle, BottomStyle, RightStyle, HorizStyle, VertStyle, TopWeight, LeftWeight, BottomWeight, RightWeight, HorizWeight, VertWeight, BorderObjectType, BorderArtWeight, BorderArt, FromTextTop, FromTextBottom, FromTextLeft, FromTextRight, OffsetFrom, InFront, SurroundHeader, SurroundFooter, JoinBorder, LineColor, WhichPages, TL2BRBorder, TR2BLBorder, TL2BRColor, TR2BLColor, TL2BRStyle, TR2BLStyle, TL2BRWeight, TR2BLWeight, ForegroundRGB, BackgroundRGB, TopColorRGB, LeftColorRGB, BottomColorRGB, RightColorRGB, HorizColorRGB, VertColorRGB, TL2BRColorRGB, TR2BLColorRGB, LineColorRGB

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogFormatDefineStyleBorders	Rahmen und Schattierung festlegen	ApplyTo, Shadow, TopBorder, LeftBorder, BottomBorder, RightBorder, HorizBorder, VertBorder, TopColor, LeftColor, BottomColor, RightColor, HorizColor, VertColor, FromText, Shading, Foreground, Background, Tab, FineShading, TopStyle, LeftStyle, BottomStyle, RightStyle, HorizStyle, VertStyle, TopWeight, LeftWeight, BottomWeight, RightWeight, HorizWeight, VertWeight, BorderObjectType, BorderArtWeight, BorderArt, FromTextTop, FromTextBottom, FromTextLeft, FromTextRight, OffsetFrom, InFront, SurroundHeader, SurroundFooter, JoinBorder, LineColor, WhichPages, TL2BRBorder, TR2BLBorder, TL2BRColor, TR2BLColor, TL2BRStyle, TR2BLStyle, TL2BRWeight, TR2BLWeight, ForegroundRGB, BackgroundRGB, TopColorRGB, LeftColorRGB, BottomColorRGB, RightColorRGB, HorizColorRGB, VertColorRGB, TL2BRColorRGB, TR2BLColorRGB, LineColorRGB
wdDialogToolsSpellingAndGrammar	Rechtschreibung und Grammatik	SuggestionListBox, ForegroundGrammar
wdDialogFileDocumentLayout	Seite einrichten	Tab, PaperSize, TopMargin, BottomMargin, LeftMargin, RightMargin, Gutter, PageWidth, PageHeight, Orientation, FirstPage, OtherPages, VertAlign, ApplyPropsTo, Default, FacingPages, HeaderDistance, FooterDistance, SectionStart, OddAndEvenPages, DifferentFirstPage, Endnotes, LineNum, StartingNum, FromText, CountBy, NumMode, TwoOnOne, GutterPosition, LayoutMode, CharsLine, LinesPage, CharPitch, LinePitch, DocFontName, DocFontSize, PageColumns, TextFlow, FirstPageOnLeft, SectionType, RTLAlignment
wdDialogFilePageSetup	Seite einrichten	Tab, PaperSize, TopMargin, BottomMargin, LeftMargin, RightMargin, Gutter, PageWidth, PageHeight, Orientation, FirstPage, OtherPages, VertAlign, ApplyPropsTo, Default, FacingPages, HeaderDistance, FooterDistance, SectionStart, OddAndEvenPages, DifferentFirstPage, Endnotes, LineNum, StartingNum, FromText, CountBy, NumMode, TwoOnOne, GutterPosition, LayoutMode, CharsLine, LinesPage, CharPitch, LinePitch, DocFontName, DocFontSize, PageColumns, TextFlow, FirstPageOnLeft, SectionType, RTLAlignment
wdDialogInsertPageNumbers	Seitenzahlen einfügen	Type, Position, FirstPage
wdDialogFormatPageNumber	Seitenzahlenformat	ChapterNumber, NumRestart, NumFormat, StartingNum, Level, Separator, DoubleQuote, PgNumberingStyle
wdDialogMailMerge	Seriendruck (nur wenn es sich um ein Seriendruck- Hauptdokument handelt)	CheckErrors, Destination, MergeRecords, From, To, Suppression, MailMerge, QueryOptions, MailSubject, MailAsAttachment, MailAddress
wdDialogMailMergeHelper	Seriendruckmanager	Merge, Options
wdDialogToolsHyphenation	Silbentrennung	AutoHyphenation, HyphenateCaps, HyphenationZone, LimitConsecutiveHyphens
wdDialogFormatColumns	Spalten	Columns, ColumnNo, ColumnWidth, ColumnSpacing, EvenlySpaced, ApplyColsTo, ColLine, StartNewCol, FlowColumnsRtl

WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogFileSaveAs	Speichern unter	Name, Format, LockAnnot, Password, AddToMru, WritePassword, RecommendReadOnly, EmbedFonts, NativePictureFormat, FormsData, SaveAsAOCELetter, WriteVersion, VersionDesc
wdDialogToolsLanguage	Sprache	Language, CheckLanguage, Default, NoProof
wdDialogFormatDefineStyleLang	Sprache festlegen	Language, CheckLanguage, Default, NoProof
wdDialogMailMergeCreateHeaderSource	Steuersatzquelle erstellen	FileName, PasswordDoc, PasswordDot, HeaderRecord, MSQuery, SQLStatement, SQLStatement1, Connection, LinkToSource, WritePasswordDoc
wdDialogMailMergeOpenHeaderSource	Steuersatzquelle öffnen	Name, ConfirmConversions, ReadOnly, LinkToSource, AddToMru, PasswordDoc, PasswordDot, Revert, WritePasswordDoc, WritePasswordDot, Connection, SQLStatement, SQLStatement1, Format, Encoding, Visible
wdDialogEditReplace	Suchen und Ersetzen (Ersetzen)	Find, Replace, Direction, MatchCase, WholeWord, PatternMatch, SoundsLike, FindNext, ReplaceOne, ReplaceAll, Format, Wrap, FindAllWordForms, MatchByte, FuzzyFind, Destination, CorrectEnd, MatchKashida, MatchDiacritics, MatchAlefHamza, MatchControl
wdDialogEditGoTo	Suchen und Ersetzen (Gehe zu)	Find, Replace, Direction, MatchCase, WholeWord, PatternMatch, SoundsLike, FindNext, ReplaceOne, ReplaceAll, Format, Wrap, FindAllWordForms, MatchByte, FuzzyFind, Destination, CorrectEnd, MatchKashida, MatchDiacritics, MatchAlefHamza, MatchControl
wdDialogEditFind	Suchen und Ersetzen (Suchen)	Find, Replace, Direction, MatchCase, WholeWord, PatternMatch, SoundsLike, FindNext, ReplaceOne, ReplaceAll, Format, Wrap, FindAllWordForms, MatchByte, FuzzyFind, Destination, CorrectEnd, MatchKashida, MatchDiacritics, MatchAlefHamza, MatchControl
wdDialogToolsOptionsFuzzy	Suchoptionen	FuzzyCase, FuzzyByte, FuzzyHira, FuzzySmKana, FuzzyMinus, FuzzyRepSymbol, FuzzyKanji, FuzzyOldKana, FuzzyLongVowel, FuzzyDZ, FuzzyBV, FuzzyTC, FuzzyHF, FuzzyZJ, FuzzyAY, FuzzyKIKU, FuzzyPunct, FuzzySpace
wdDialogInsertSymbol	Symbol (Sonderzeichen) einfügen	Font, Tab, CharNum, Unicode, Hint
wdDialogControlRun	Systemsteuerung ausführen	Application
wdDialogTableAutoFormat	Tabelle Auto Format	HideAutoFit, Preview, Format, Borders, Shading, Font, Color, AutoFit, HeadingRows, FirstColumn, LastRow, LastColumn
wdDialogTableInsertTable	Tabelle einfügen	ConvertFrom, NumColumns, NumRows, InitialColWidth, Wizard, Format, Apply, AutoFit, SetDefault, Word8
wdDialogTableToText	Tabelle in Text umwandeln	ConvertTo, NestedTables
wdDialogTableSort	Tabelle sortieren	DontSortHdr, FieldNum, Type, Order, FieldNum2, Type2, Order2, FieldNum3, Type3, Order3, Separator, SortColumn, CaseSensitive, SortBiDi, IgnoreHe, Diacritics, IgnoreThe, Kashida, Language
wdDialogFormatDefineStyleTabs	Tabstopps	Position, DefTabs, Align, Leader, Set, Clear, ClearAll
wdDialogFormatTabs	Tabstopps bearbeiten	Position, DefTabs, Align, Leader, Set, Clear, ClearAll



WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogToolsCustomizeKeyboard	Tastatur anpassen	KeyCode, KeyCode2, MenuType, Position, AddAll, Category, Name, Menu, AddBelow, MenuText, Rename, Add, Remove, ResetAll, CommandValue, Context, Tab
wdDialogTextToTable	Text in Tabelle umwandeln	ConvertFrom, NumColumns, NumRows, InitialColWidth, Wizard, Format, Apply, AutoFit, SetDefault, Word8
wdDialogInsertBookmark	Textmarke hinzufügen	Name, SortBy, Add, Delete, Goto, Hidden
wdDialogToolsCreateEnvelope	Umschläge	ExtractAddress, LabelListIndex, LabelIndex, LabelDotMatrix, LabelTray, LabelAcross, LabelDown, EnvAddress, EnvOmitReturn, EnvReturn, PrintBarCode, SingleLabel, LabelRow, LabelColumn, PrintEnvLabel, AddToDocument, EnvWidth, EnvHeight, EnvPaperSize, PrintFIMA, UseEnvFeeder, Tab, AddrAutoText, AddrText, AddrFromLeft, AddrFromTop, RetAddrFromLeft, RetAddrFromTop, LabelTopMargin, LabelSideMargin, LabelVertPitch, LabelHorPitch, LabelHeight, LabelWidth, CustomName, RetAddrText, EnvPaperName, DefaultFaceUp, DefaultOrientation, RetAddrAutoText
wdDialogToolsEnvelopesAndLabels	Umschläge und Etiketten	ExtractAddress, LabelListIndex, LabelIndex, LabelDotMatrix, LabelTray, LabelAcross, LabelDown, EnvAddress, EnvOmitReturn, EnvReturn, PrintBarCode, SingleLabel, LabelRow, LabelColumn, PrintEnvLabel, AddToDocument, EnvWidth, EnvHeight, EnvPaperSize, PrintFIMA, UseEnvFeeder, Tab, AddrAutoText, AddrText, AddrFromLeft, AddrFromTop, RetAddrFromLeft, RetAddrFromTop, LabelTopMargin, LabelSideMargin, LabelVertPitch, LabelHorPitch, LabelHeight, LabelWidth, CustomName, RetAddrText, EnvPaperName, DefaultFaceUp, DefaultOrientation, RetAddrAutoText
wdDialogConnect	Verbindung zu Netzlaufwerk	Drive, Path, Password
wdDialogTCSCTranslator	Vereinfachtes und traditionelles Chinesisch	Direction, Varients, TranslateCommon
wdDialogEditLinks	Verknüpfungen bearbeiten	UpdateMode, Locked, SavePictureInDoc, UpdateNow, OpenSource, KillLink, Link, Application, Item, FileName
wdDialogFileSaveVersion	Version speichern	(keine)
wdDialogFileVersions	Versionen	AutoVersion, VersionDesc
wdDialogFileRoutingSlip	Verteiler	Subject, Message, AllAtOnce, ReturnWhenDone, TrackStatus, Protect, AddSlip, RouteDocument, AddRecipient, OldRecipient, ResetSlip, ClearSlip, ClearRecipients, Address
wdDialogToolsCreateDirectory	Verzeichnis erstellen	Directory
wdDialogWebOptions	Weboptionen	(keine)
wdDialogToolsAdvancedSettings	Weitere Einstellungen	Application, Option, Setting, Delete, Set
wdDialogToolsWordCount	Wörter zählen	CountFootnotes, Pages, Words, Characters, DBCs, SBCs, CharactersIncludingSpaces, Paragraphs, Lines
wdDialogInsertNumber	Zahl einfügen	NumPic



WdWordDialog-Konstante	Bedeutung (*)	Argumente
wdDialogFormatFont	Zeichen bearbeiten	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogFormatDefineStyleFont	Zeichen festlegen	Points, Underline, Color, StrikeThrough, Superscript, Subscript, Hidden, SmallCaps, AllCaps, Spacing, Position, Kerning, KerningMin, Default, Tab, Font, Bold, Italic, DoubleStrikeThrough, Shadow, Outline, Emboss, Engrave, Scale, Animations, CharAccent, FontMajor, FontLowAnsi, FontHighAnsi, CharacterWidthGrid, ColorRGB, UnderlineColor, PointsBi, ColorBi, FontNameBi, BoldBi, ItalicBi, DiacColor
wdDialogDrawSnapToGrid	Zeichnungsraster	SnapToGrid, XGrid, YGrid, XOrigin, YOrigin, SnapToShapes, XGridDisplay, YGridDisplay, FollowMargins, ViewGridLines, DefineLineBasedOnGrid
wdDialogTableInsertRow	Zeilen einfügen	NumRows
wdDialogTableInsertCells	Zellen einfügen	ShiftCells
wdDialogTableDeleteCells	Zellen löschen	ShiftCells
wdDialogTableSplitCells	Zellen teilen	NumColumns, NumRows, MergeBeforeSplit
wdDialogTableFormatCell	Zellenhöhe und -breite	Category
wdDialogMarkCitation	Zitat festlegen	LongCitation, LongCitationAutoText, Category, ShortCitation, NextCitation, Mark, MarkAll
wdDialogViewZoom	Zoom	AutoFit, TwoPages, FullPage, NumColumns, NumRows, ZoomPercent, TextFit